References :

Arora, G. S. (1990). Collection and preservation of animals (Lepidoptera). Zool.Surv. Ind., Calcutta, pp. 131–138.

Arora, G. S., Ghosh, S. K., Chaudhary, M. (1995). Fauna of Western Himalaya (Lepidopteran: Rhopalocera).

Himalaya Ecosystem Series: Fauna of Western Himalaya Part I (Z.S.I.), Uttar Pradesh, pp. 61–73.

Battist, A.(1988). Phytophagous insect in the energy flow of an artificial stand of PinusnigraArnold in northern Italy.Redia, 71(1): 139-160.

Beals, M, Gross L, Harrell, S. (1999). Diversity Indices: Simpson's D and E. Online]:http://www.tiem.utk.edu/~gross/bioed/bealsmodules/simpsonDI.html

Blair, Robert B. (1999) birds and butterflies along an urban gradient: surrogate taxa for assessing biodiversity?Ecological Applications 9: 164–170

Bliss, L.C. (1962). Net primary production of Tundra ecosystems. (Die Stoffproduktion der Pfanzendecke, H. Leith,eds.). Gustav Fischer Velag. Stuttgart, 35-48.

Chandra, K., Chaudhary, L. K., Singh, R. K. and Koshta, M. L. (2002).Butterflies of Pench TigerReserve, Madhya Pradesh. Zoo's Print Journal17(10): 908-909.

Chandra, K., Sharma, R. M., Singh, A. and Singh,R. K. 2007. A checklist of butterflies of Madhya Pradesh and Chhattisgarh States,India. Zoos' Print Journal 22(8): 2790-2798

Choudhury, K. 2010. Rediscovery of two rare butterflies Papilioelephenor Doubleday, 1845 and Shijimiamoorei Leech, 1889 from proposed Ripu-Chirang Wildlife Sanctuary, Assam, India. Journal of Threatened Taxa 2(4): 831-834.

Gaonkar, H. (1996). Butterflies of the Western Ghats with notes on those of Sri Lanka. A report to Centre for Ecological Sciences, Indian Institute of Science, Bangalore; Zoological Museum, Copenhagen and Natural History Museum, London.

Ghosh, A. K. (1990). Collection and Preservation of Animals. Zool. Surv. India, Calcutta, 71–80.

Hannyngton, F. (1910–1911). The butterflies of Kumaon. Jour. Bombay Nat. Hist. Soc., 20 (3): 871–872.

Jonathan, J. K. (1990). Collection and preservation of animals (Hymenoptera).Zoo.Surv. India, Calcutta, 147–150.

Joshi, P.C. (1989). Energy and nutrient dynamics of above ground insects in a grassland ecosystem. Ph.D.thesis, Kumaon University, Nainital, India.

Kehimkar, I. 2008. The Book of Indian Butterflies.Bombay Natural History Society. Oxford University Press.Mumbai.Pp 497.

Kunte, K. 1997. Seasonal patterns in butterfly abundance and species diversity in four tropical habitats in the northern Western Ghats.Journal of Bioscience 22: 593-603.

Kunte, K. 2000. Butterflies of Peninsular India.Universities Press (Hyderabad) and Indian Academy of Sciences (Bangalore).

Kunte, K. 2001. Butterfly diversity of Pune city along the human impact gradient. J. Ecol. Soc., 13/14: 40-45.

Kunte, K. 2010. Rediscovery of the federally protected Scarce Jester Butterfly Symbrenthiasilana de Nicéville, 1885 (Nymphalidae: Nymphalinae) from the Eastern Himalaya and GaroHills,northeastern India. Journal of Threatened Taxa 2(5): 858-866.

Kunte, K., Kunhikrishnan, E., Balakrishnan, M. and Susanth, C. 2008. Status and Distribution of Appiaslalage Butterfly (Lepidoptera:Pieridae) in the Western Ghats, South-Western India. Journal of Bombay Natural History Society, 105(3): 354-357.

Larsen, T. B. 1987. The butterflies of the Nilgiri Mountains of south India. Journal of Bombay Natural History Society 74: 546-549.

Larsen, T. B. 1988. The butterflies of the Nilgiri mountains of South India (Lepidoptera:Rhopalocera). Journal of the Bombay Natural History Society 85: 26-43.

Larsen, T. B. 2002. The butterflies of Delhi, Indiaan annotated checklist. Esperiana, 9: 459-479.

May, P. G. 1992. Flower selection and the dynamics of lipid reserves in two nectarivorous butterflies. Ecology, 73: 2181-2191.

Mackinnon, P. W. and Niceville, de L. (1997). A list of butterflies of Mussorie in the western Himalayas and neighboring region. Jour. Bombay Nat. Hist. Soc., 11: 205–211.

Mackinnon, P. W. and Niceville, de L. (1998). A list of butterflies of Mussorie in the western Himalayas and neighboring region. Jour. Bombay Nat. Hist. Soc., 11: 268–289, 585–605.

Mudgal, V. and Hajra, P. K. (1999).Floristic diversity and conservation strategies in India, I–III.

New, T. R. & Collins, N. M. (1991). Swallowtail butterflies – an action plan for their conservation. Gland: International Union for Conservation of Nature.

Nair, V. P. 2005. A note on the occurrence of common Albatross, Appiasalbina (Boisduval) (Lepidoptera: Pieridae) at the St. Joseph's College Campus, Kozhikode District, Kerla. Zoos' Print Journal 20(5): 1874.

Ollenbach, O. C. (1930–1931). Butterflies collecting grounds of Mussoorie. Jour. Bombay Nat. Hist. Soc., 34:836–840.

Owen, D. F. (1971).Species diversity in butterflies in a tropical garden.Biological Conservation 3(3):191-198.

Padhey, A. D., Dahanukar, N., Paigankar, M.,Deshpande, M. and Deshpande, D. 2006.Season and landscape wise distribution of butterflies in Tamhini, northern Western Ghats, India. Zoos' Print J., 21: 2175-2181.

Pollard, E. (1990).Monitoring butterfly numbers.Monitoring for ecology and conservation, (Ed. by F.B. Goldsmith), pp. 87-111. Chapman & Hall, London.

Raut, N. B. and Pendharkar, A. 2010. Butterfly (Rhopalocera) fauna of Maharashtra Nature Park, Mumbai, Maharashtra, India. Check List 6(1): 22-25.

Shannon, C. E. and Weaver, W. (1949).The Mathematical Theory of Communication. University Illinois Press,Urbana, IL.

Shields, O. (1989).World no. of butterflies. J. Lep. Soc., 431(3): 178-183.

Sidhu, AvtarKaur (2011). Changing biodiversity scenario in the Himalayan ecosystem: Mussoorie, Uttarakhand,India, as revealed by the study of blue butterflies (Lycaenidae). Journal of Threatened Taxa, 3(2): 1559-1563.

Simpson, E. H. (1949). Measurement of diversity. Nature, 163: 688.

Singh, S. (1963).Entomological survey of Himalaya. Part XXIV – Fourth and final annotated check–list of the insects from the north–west (Punjab) Himalaya. Agra Univ. Jour. Research, 12: 363–393.

Singh, A.P. and Pandey, R. (2004). A model for estimating butterfly species richness of areas across the Indian sub- continent: species proportion of Papilionidae as an Indicator. Jour Bombay Nat. Hist. Soc., Bombay,101:79-89.

Singh, A. P. 2005. Initial colonization of Red Pierrot butterfly, Talicadanyseusnyseus Guerin (Lycaenidae) in the lower western Himalayas: An indicator of the changing environment. Current Science, 89 (1), 41-42.

Singh, A. P. 2009. Butterflies of Kedarnath Musk Deer Reserve, Garhwal Himalaya, India. Journal of Threatened Taxa 1(1): 37-48.

SolmanRaju, A. J. 2004. Nectar host plants of some butterfly species at Visakhapatnam. Sci. andCul., 70: 187-190.

Sreekumar, P.G. and Balakrishnan, M. 2001. Habitat and altitude preference of butterflies in Aralam Wildlife Sanctuary, Kerla. Tropical Ecology 42(2): 277-281.

Tiple, A. D. and Khurad, A. M. 2009. Butterfly Species Diversity, Habitats and Seasonal Distribution in Around Nagpur City, Central India. World Journal of Zoology 4(3): 153-162

Uniyal, V. P. and Mathur, P.K. (1998).Diversity of butterflies in the Great Himalayan National Park, Western Himalayan. Ind. J. Forestry, 21 (2): 150-155.

Uniyal, V. P. (2002). Nanda Devi Expedition (Report). Wild Life Institute, Dehradun, India, pp.17

Vane-Wright, R.I. (1978). Ecology and evolution [meeting held on 14thDecember 1977]. Antenna, London 2(2):47–48.

Wadatkar, J. S. and Kasambe, R. 2009.Butterflies of Melghat Tiger Reserve, Maharashtra with notes on their abundance, Status and Host plants. The Ecoscan 2(2): 165-171

Wynter–Blyth, M. A.(1957). Butterflies of the Indian Region, Published by Bombay Nat. Hist. Soc., Bombay.XX+523:72